L Number	Hits	Search Text	DB	Time stamp
1	24	(US-6377987-$ or US-4698753-$ or US-5872942-$ or US-5642805-$ or US-5497292-$ or US-5444856-$ or US-6480097-$ or US-6216183-$ or US-6202153-$ or US-6175491-$ or US-6151218-$ or US-6147603-$ or US-5960172-$ or US-5836010-$ or US-5757616-$ or US-5097506-$ or US-6308215-$ or US-6173092-$ or US-6177860-$ or US-5150467-$ or US-5127089-$ or US-4768145-$ or US-4598170-$).did. or (US-20020194507-$).did.	USPAT; US-PGPUB	2003/09/29 12:36
2	24	(US-6377987-$ or US-4698753-$ or US-5872942-$ or US-5642805-$ or US-5497292-$ or US-5444856-$ or US-6480097-$ or US-6216183-$ or US-6202153-$ or US-6175491-$ or US-6151218-$ or US-6147603-$ or US-5960172-$ or US-5836010-$ or US-5757616-$ or US-5097506-$ or US-6308215-$ or US-6173092-$ or US-6177860-$ or US-5150467-$ or US-5127089-$ or US-4768145-$ or US-4598170-$).did. or (US-20020194507-$).did.	USPAT; US-PGPUB	2003/09/29 12:37
3	0	((US-6377987-$ or US-4698753-$ or US-5872942-$ or US-5642805-$ or US-5497292-$ or US-5444856-$ or US-6480097-$ or US-6216183-$ or US-6202153-$ or US-6175491-$ or US-6151218-$ or US-6147603-$ or US-5960172-$ or US-5836010-$ or US-5757616-$ or US-5097506-$ or US-6308215-$ or US-6173092-$ or US-6177860-$ or US-5150467-$ or US-5127089-$ or US-4768145-$ or US-4598170-$).did. or (US-20020194507-$).did.) and 5724027.pn.	USPAT; US-PGPUB	2003/09/29 12:39
4	25	((US-6377987-$ or US-4698753-$ or US-5872942-$ or US-5642805-$ or US-5497292-$ or US-5444856-$ or US-6480097-$ or US-6216183-$ or US-6202153-$ or US-6175491-$ or US-6151218-$ or US-6147603-$ or US-5960172-$ or US-5836010-$ or US-5757616-$ or US-5097506-$ or US-6308215-$ or US-6173092-$ or US-6177860-$ or US-5150467-$ or US-5127089-$ or US-4768145-$ or US-4598170-$).did. or (US-20020194507-$).did.) or 5724027.pn.	USPAT; US-PGPUB	2003/09/29 12:39
5	11	(((US-6377987-$ or US-4698753-$ or US-5872942-$ or US-5642805-$ or US-5497292-$ or US-5444856-$ or US-6480097-$ or US-6216183-$ or US-6202153-$ or US-6175491-$ or US-6151218-$ or US-6147603-$ or US-5960172-$ or US-5836010-$ or US-5757616-$ or US-5097506-$ or US-6308215-$ or US-6173092-$ or US-6177860-$ or US-5150467-$ or US-5127089-$ or US-4768145-$ or US-4598170-$).did. or (US-20020194507-$).did.) or 5724027.pn.) and password	USPAT; US-PGPUB	2003/09/29 13:24

6	0	(((US-6377987-$ or US-4698753-$ or US-5872942-$ or US-5642805-$ or US-5497292-$ or US-5444856-$ or US-6480097-$ or US-6216183-$ or US-6202153-$ or US-6175491-$ or US-6151218-$ or US-6147603-$ or US-5960172-$ or US-5836010-$ or US-5757616-$ or US-5097506-$ or US-6308215-$ or US-6173092-$ or US-6177860-$ or US-5150467-$ or US-5127089-$ or US-4768145-$ or US-4598170-$).did. or (US-20020194507-$).did.) or 5724027.pn.) and (second adj (switch or lock))	USPAT; US-PGPUB	2003/09/29 13:26
7	3	((first adj port) and (second adj port) and (input near2 device) and (switch same (port same input (lock$3 or prevent$4))) and @ad<19991206) and (secur$5 near3 computer)	USPAT; US-PGPUB	2003/09/29 13:26
8	0	(((first adj port) and (second adj port) and (input near2 device) and (switch same (port same input (lock$3 or prevent$4))) and @ad<19991206) and (secur$5 near3 computer)) and (second adj (switch or lock))	USPAT; US-PGPUB	2003/09/29 13:27
9	26910	((secur$5 or lock$5) with (keyboard or (input adj device) or port)) and @ad<19991206	USPAT; US-PGPUB	2003/09/29 13:27
10	524	(((secur$5 or lock$5) with (keyboard or (input adj device) or port)) and @ad<19991206) and (second adj (switch or lock))	USPAT; US-PGPUB	2003/09/29 13:53
11	185	((((secur$5 or lock$5) with (keyboard or (input adj device) or port)) and @ad<19991206) and (second adj (switch or lock))) and interface	USPAT; US-PGPUB	2003/09/29 13:28
13	5	((((((secur$5 or lock$5) with (keyboard or (input adj device) or port)) and @ad<19991206) and (second adj (switch or lock))) and interface) and computer) and (prevent$4 with input with processor)	USPAT; US-PGPUB	2003/09/29 13:36
14	19	((((((secur$5 or lock$5) with (keyboard or (input adj device) or port)) and @ad<19991206) and (second adj (switch or lock))) and interface) and computer) and ((prevent$4 or ($3not adj allow) or control) with input with processor)	USPAT; US-PGPUB	2003/09/29 13:38
12	116	(((((secur$5 or lock$5) with (keyboard or (input adj device) or port)) and @ad<19991206) and (second adj (switch or lock))) and interface) and computer	USPAT; US-PGPUB	2003/09/29 13:39
15	616	(((secur$5 or lock$5) with (keyboard or (input adj device) or port)) and @ad<19991206) and (second adj (switch or lock or latch))	USPAT; US-PGPUB	2003/09/29 13:54
16	5	((((secur$5 or lock$5) with (keyboard or (input adj device) or port)) and @ad<19991206) and (second adj (switch or lock or latch))) and (switch with keyboard with processor)	USPAT; US-PGPUB	2003/09/29 13:54
-	9	"616688" "6609207" .pn.	USPAT; US-PGPUB	2003/09/23 14:28
-	1	("616688" "6609207").pn.	USPAT; US-PGPUB	2003/09/23 14:29
-	2	("0616688" "6609207").pn.	USPAT; US-PGPUB	2003/09/23 14:32
-	2	("6166688" "6609207").pn.	USPAT; US-PGPUB	2003/09/23 14:34
-	1	4460957.pn.	USPAT; US-PGPUB	2003/09/23 14:38

–	2	(first adj port) and (second adj port) and (input near2 device) and (switch same port same ((lock$3 or prevent$4) near3 input)) and @ad<19991206	USPAT; US-PGPUB	2003/09/23 14:47
–	218	((first adj port) and (second adj port) and (input near2 device) and (switch same (port same input (lock$3 or prevent$4))) and @ad<19991206) and system	USPAT; US-PGPUB	2003/09/24 15:22
–	54	(((first adj port) and (second adj port) and (input near2 device) and (switch same (port same input (lock$3 or prevent$4))) and @ad<19991206) and system) and secur$5	USPAT; US-PGPUB	2003/09/23 14:52
–	3	(((first adj port) and (second adj port) and (input near2 device) and (switch same (port same input (lock$3 or prevent$4))) and @ad<19991206) and system) and (secur$5 near3 computer)	USPAT; US-PGPUB	2003/09/23 14:58
–	3	((first adj port) and (second adj port) and (input near2 device) and (switch same (port same input (lock$3 or prevent$4))) and @ad<19991206) and (((first adj port) and (second adj port) and (input near2 device) and (switch same (port same input (lock$3 or prevent$4))) and @ad<19991206) and system) and (secur$5 near3 computer)	USPAT; US-PGPUB	2003/09/23 14:58
–	3	((first adj port) and (second adj port) and (input near2 device) and (switch same (port same input (lock$3 or prevent$4))) and @ad<19991206) and (secur$5 near3 computer)	USPAT; US-PGPUB	2003/09/29 13:25
–	229	(first adj port) and (second adj port) and (input near2 device) and (switch same (port same input (lock$3 or prevent$4))) and @ad<19991206	USPAT; US-PGPUB	2003/09/23 15:07
–	194707	((secur$5 or lock$5) with external ajd bus) and @ad<19991206	USPAT; US-PGPUB	2003/09/23 15:09
–	48	((secur$5 or lock$5) with external adj bus) and @ad<19991206	USPAT; US-PGPUB	2003/09/23 15:13
–	26910	((secur$5 or lock$5) with (keyboard or (input adj device) or port)) and @ad<19991206	USPAT; US-PGPUB	2003/09/29 13:27
–	8158	(((secur$5 or lock$5) with (keyboard or (input adj device) or port)) and @ad<19991206) and switch	USPAT; US-PGPUB	2003/09/23 15:16
–	3547	((((secur$5 or lock$5) with (keyboard or (input adj device) or port)) and @ad<19991206) and switch) and computer	USPAT; US-PGPUB	2003/09/23 15:18
–	343	((((secur$5 or lock$5) with (keyboard or (input adj device) or port)) and @ad<19991206) and switch) and (secur$5 near2 computer)	USPAT; US-PGPUB	2003/09/23 15:19
–	118	(((((secur$5 or lock$5) with (keyboard or (input adj device) or port)) and @ad<19991206) and switch) and (secur$5 near2 computer)) and bus and port and coupl$4	USPAT; US-PGPUB	2003/09/23 15:19
–	160	(((((secur$5 or lock$5) with (keyboard or (input adj device) or port)) and @ad<19991206) and switch) and (secur$5 near2 computer)) and bus and port and (coupl$4 or connect$4)	USPAT; US-PGPUB	2003/09/23 15:20
–	6	("5432941" | "5613123" | "5675793" | "5781797" | "6141705" | "6233624").PN.	USPAT	2003/09/23 15:30
–	8	("5535093" | "5561589" | "5687592" | "5692400" | "5805412" | "5818691" | "5864294" | "5948074").PN.	USPAT	2003/09/23 15:32
–	10	5692400.URPN.	USPAT	2003/09/23 15:38

-	10	("5630057" | "5748888" | "5802318" | "5905912" | "5933611" | "5963142" | "6038320" | "6067589" | "6134661" | "6138240").PN.	USPAT	2003/09/23 15:43
-	13	5963142.URPN.	USPAT	2003/09/23 15:46
-	33	("4498716" | "4769833" | "4799153" | "4975950" | "5128995" | "5144659" | "5144660" | "5191583" | "5202997" | "5268960" | "5289540" | "5317746" | "5343525" | "5355489" | "5361359" | "5384854" | "5414844" | "5434562" | "5463632" | "5475839" | "5499334" | "5509120" | "5530455" | "5537540" | "5559883" | "5564002" | "5570367" | "5778443" | "5815571" | "5896499" | "5909586" | "5913037" | "5923757").PN.	USPAT	2003/09/23 15:49
-	311	((first adj port) and (second adj port) and (input near2 device) and (switch with connect$4 (port or input or keyboard) with (lock$3 or prevent$4 or protect$4)) and @ad<19991206) and system	USPAT; US-PGPUB	2003/09/24 15:27
-	13	((first adj port) same (second adj port) same (input near2 device) and (switch with connect$4 (port or input or keyboard) with (lock$3 or prevent$4 or protect$4)) and @ad<19991206) and system	USPAT; US-PGPUB	2003/09/24 15:29
-	2	((first adj port) same (second adj port) same (input near2 device) same(switch with connect$4 (port or input or keyboard) with (lock$3 or prevent$4 or protect$4)) and @ad<19991206) and system	USPAT; US-PGPUB	2003/09/24 15:32
-	0	((first adj port) same (second adj port) same (input near2 device) same (switch with connect$4 with (port or input or keyboard) with (lock$3 or prevent$4 or protect$4)) and @ad<19991206) and system	USPAT; US-PGPUB	2003/09/24 15:33
-	1	((first adj port) same (second adj port) same (input near2 device) same ((switch or device or connect$3 or latch) with connect$4 with (port or input or keyboard) with (lock$3 or prevent$4 or protect$4)) and @ad<19991206) and system	USPAT; US-PGPUB	2003/09/24 15:36
-	5	((first adj port) same (second adj port) and (input near2 device) same ((switch or device or connect$3 or latch) with connect$4 with (port or input or keyboard) with (lock$3 or prevent$4 or protect$4)) and @ad<19991206) and system	USPAT; US-PGPUB	2003/09/24 15:41
-	10	((first adj port) same (second adj port) and (input near2 device) same ((switch or device or signal or connect$3 or latch) with connect$4 with (port or input or keyboard) with (lock$3 or prevent$4 or protect$4 or allow$4 or permit$4)) and @ad<19991206) and system	USPAT; US-PGPUB	2003/09/24 15:45
-	5	(((first adj port) same (second adj port) and (input near2 device) same ((switch or device or signal or connect$3 or latch) with connect$4 with (port or input or keyboard) with (lock$3 or prevent$4 or protect$4 or allow$4 or permit$4)) and @ad<19991206) and system) not (((first adj port) same (second adj port) and (input near2 device) same ((switch or device or connect$3 or latch) with connect$4 with (port or input or keyboard) with (lock$3 or prevent$4 or protect$4)) and @ad<19991206) and system)	USPAT; US-PGPUB	2003/09/24 15:42

—	10	((first adj port) same (second adj port) and (input near2 device) same ((switch or device or signal or connect$3 or coupl$4 or latch) with connect$4 with (port or input or keyboard) with (lock$3 or prevent$4 or protect$4 or allow$4 or permit$4)) and @ad<19991206) and system	USPAT; US-PGPUB	2003/09/24 15:46
—	100	((first adj port) same (second adj port) and (input near2 device) same ((switch or device or signal or connect$3 or coupl$4 or latch) with (port or input or keyboard) same (lock$3 or prevent$4 or protect$4 or allow$4 or permit$4)) and @ad<19991206) and system	USPAT; US-PGPUB	2003/09/24 15:48
—	54	((first adj port) same (second adj port) and (input near2 device) same ((switch or device or signal or connect$3 or coupl$4 or latch) with (port or input or keyboard) with (lock$3 or prevent$4 or protect$4 or allow$4 or permit$4)) and @ad<19991206) and system	USPAT; US-PGPUB	2003/09/24 15:58
—	0	(((first adj port) same (second adj port) and (input near2 device) same ((switch or device or signal or connect$3 or coupl$4 or latch) with (port or input or keyboard) with (lock$3 or prevent$4 or protect$4 or allow$4 or permit$4)) and @ad<19991206) and system) not (((first adj port) same (second adj port) and (input near2 device) same ((switch or device or signal or connect$3 or coupl$4 or latch) with (port or input or keyboard) same (lock$3 or prevent$4 or protect$4 or allow$4 or permit$4)) and @ad<19991206) and system)	USPAT; US-PGPUB	2003/09/24 15:58
—	46	(((first adj port) same (second adj port) and (input near2 device) same ((switch or device or signal or connect$3 or coupl$4 or latch) with (port or input or keyboard) same (lock$3 or prevent$4 or protect$4 or allow$4 or permit$4)) and @ad<19991206) and system) not (((first adj port) same (second adj port) and (input near2 device) same ((switch or device or signal or connect$3 or coupl$4 or latch) with (port or input or keyboard) with (lock$3 or prevent$4 or protect$4 or allow$4 or permit$4)) and @ad<19991206) and system)	USPAT; US-PGPUB	2003/09/24 16:03
—	59592	switch and keyboard	USPAT; US-PGPUB	2003/09/24 16:03
—	13245	switch with keyboard	USPAT; US-PGPUB	2003/09/24 16:04
—	132441	switch with keyboard disabl$2	USPAT; US-PGPUB	2003/09/24 16:04
—	148284	switch with keyboard disabl$4	USPAT; US-PGPUB	2003/09/24 16:04
—	152	switch with keyboard with disabl$4	USPAT; US-PGPUB	2003/09/24 16:04
—	36	(switch with keyboard with disabl$4) and securit$4	USPAT; US-PGPUB	2003/09/24 16:05
—	53	(switch with keyboard with disabl$4) and secur$4	USPAT; US-PGPUB	2003/09/24 16:05
—	184	(switch with keyboard with (disabl$4 or lock$4)) and secur$4	USPAT; US-PGPUB	2003/09/24 17:14
—	1	4975550.pn.	USPAT; US-PGPUB	2003/09/24 17:14

C:\APPS\EAST\Workspaces\09455104.wsp